



MEMPHIS

AUDIO SINCE 1965

MXA

ENGINEERED TO RESIST
WATER & ELEMENTS



MXA62HD // OEM DIRECT FIT UPGRADED SPEAKER SET
MXAH014KIT // OEM DIRECT FIT AMPLIFIER MOUNTING KIT

STREET GLIDE® // ROAD GLIDE®

FITS THE FOLLOWING MODELS:
2014 AND NEWER STREET GLIDE®
2015 AND NEWER ROAD GLIDE®





MEMPHIS AUDIO OEM DIRECT FIT HD SPEAKER UPGRADE

Memphis Audio direct fit OEM audio systems include everything you need to make your motorcycle the loudest on the road. These kits are designed to fit directly into your vehicle with zero custom fabrication required. The speakers are sized to fit directly into the factory fairing of 2014 and newer Street Glide® motorcycles and 2015 and newer Road Glide® motorcycles as well as Tour Pak® locations. These speakers are designed to upgrade your sound with louder, higher performance audio designed to be heard over engine noise and at highway speeds. The optional amplifier mounting kit creates a mounting location in your vehicle's fairing to add an amplifier for those who like it LOUD. No customization or fabrication required. The Plug and play wire harness does not require any flashing to level out the factory head unit making installation simple.



BEFORE YOU BEGIN!

If you are uncertain about any aspect of this installation process check out the complete walk-through video in the link below:

WWW.MEMPHISCARAUDIO.COM/INSTALLATION-CENTER

Memphis Audio recommends all installations be completed by a certified authorized Memphis Audio dealer.

Warranty Information

This product has a 2 year warranty from the date of purchase for defects in material or workmanship. This warranty will be extended to 3 years when installed by a Memphis authorized dealer using Memphis Connection products. The warranty is void if the product has been physically damaged by improper usage or abuse. If repairs are attempted outside of a Memphis Audio facility, the warranty is void.

This warranty is limited to the original retail purchaser and does not cover any expenses incurred in the removal or re-installation of the product. This warranty does NOT apply to product exterior and cosmetics. Memphis Audio disclaims any liability for incidental or consequential damages caused by product defects. Memphis Audio liability will not exceed the purchase price of the product and the warranty period specified.

What is NOT covered under warranty

- Damage due to improper installation
- Damage caused by exposure to moisture, excessive heat, chemical cleaners and/or UV radiation
- Damage through negligence, misuse, accident or abuse. (Repeated returns for the same damage may be abuse)
- Product damaged in accident and/or due to criminal activity
- Service performed by anyone other than Memphis Audio
- Subsequent damage to other components
- Any cost or expense related to the removal or re-installation of product
- Products with tampered, missing, altered or defaced serial numbers/labels
- Freight damage
- The cost of shipping product to Memphis Audio
- Return shipping on non-defective items
- Any product not purchased from an authorized Memphis Audio dealer

Some states do not allow the exclusion or limitation of incidental or consequential damages. The above limitations or exclusions may not apply to you. This warranty gives you specific rights, you may have other rights which vary from state to state.

If warranty service is required, a return authorization number is required to return the product to Memphis Audio. Warranty shipments to Memphis Audio are the responsibility of the purchaser. Pack the product carefully in the original carton if possible. Memphis Audio will not be responsible for damages incurred in shipment or due to improper packaging materials used by the purchaser.


If determined to be within warranty your product will be repaired or replaced at the discretion of Memphis Audio.

WARNING:

These instructions are designed to be used on 2014 and newer Street Glide® Motorcycles, 2015 and newer Road Glide® motorcycles and Tour Pak® locations. These pods are designed specifically to work with these types of motorcycles only. If you have a different year or model machine, check with your authorized Memphis Audio dealer or contact Memphis Audio customer service at 800-489-2300 prior to attempting installation. These kits are not designed to be used with any other model or year vehicle. Attempting to install these speakers on any other vehicle may result in permanent damage to your vehicle.


2014+ STREET GLIDE® MOTORCYCLE INSTALLATION

NOTE: THIS IS ONLY FOR 2014+ MODELS, THIS KIT IS NOT DESIGNED FOR OLDER MODELS



STEP 1:

First, remove the outer fairing from the motorcycle. Once the fairing is removed you will see the 4 bolts as shown in the photo above. These bolts will need to be removed.



STEP 2:

Once the 4 bolts are removed, use the 4 supplied nylon spacers around each hole. This will provide level mounting points for the amplifier bracket.




STEP 3:

The amplifier mounting plate will mount on top of the supplied nylon spacers. Mount the mounting plate using the supplied #10-24 screws. Be sure the mounting bracket is securely mounted. Do not mount the amplifier until step 6.



STEP 4:

Remove the left and right speaker enclosures. Then remove the OEM grille and replace with the supplied corresponding Memphis Street Glide Grille.



STEP 5:

Remove the OEM speaker from the enclosure and replace with the Memphis Audio speaker. Please be sure to observe polarity. Once you have the new speakers installed into the enclosures, you can put the speaker enclosures back to their original location.



STEP 6:

Be sure to wire the supplied harness to the corresponding connectors on the bike, connect clutch side and brake side accordingly. You may now mount the amplifier to the amplifier bracket using the supplied screws.



STEP 7:

Run the power and ground wires under the gas tank to the battery and make the positive and negative battery connections



STEP 8:

Inside the fairing, on the brake side you will find a connector that will directly plug into the blue wire on the Memphis harness. This is the wire that will tell your amplifier to turn on so make sure it is connected!

2015+ ROAD GLIDE® MOTORCYCLE INSTALLATION

NOTE: THIS IS ONLY FOR 2015+ MODELS, THIS KIT IS NOT DESIGNED FOR OLDER MODELS



STEP 1:

Road Glide® motorcycles use the stamped bracket and the aluminum extruded bracket to create a secure mounting surface. Attached the two brackets together as shown using the supplied hardware.



STEP 2:

Once the brackets are fastened together, attach the amplifier as shown. Note the position of the harness relative to the stamped bracket. Be sure the amplifier is mounted the correct direction.



STEP 3:

Remove the fairing prior to installation. Remove the OEM speaker grilles then remove the speakers from the fairing. Replace the OEM speakers and grilles with the Memphis Audio speakers and grilles provided. Please be sure to observe polarity.



STEP 4:

Take the amplifier/bracket assembly and install it as shown.



STEP 5:

Once installed, use the supplied zip ties to tie all the loose wires shown above.



STEP 6:

Run the power and ground wires under the gas tank to the battery and make the positive and negative battery connections



STEP 7:

Inside the fairing, on the break side you will find a connector that will directly plug into the blue wire on the Memphis harness. This is the wire that will tell your amplifier to turn on so make sure it is connected!



STEP 8:

Once complete, installation should look as shown above.

Contents

- (1) Road Glide® Amp Mounting Brackets
- (2) Road Glide® Amp Bracket Bolts
- (4) Road Glide® Heat Sink Screws
- (4) Street Glide® Heat Sink Screws
- (4) Street Glide® Heat Sink Spacers
- (1) Amp Heat Sink
- (8) Wire Zip Tie Wraps
- (4) Amp Screws

