



## Custom-length Speakers Offer the Ultimate Personalized Audio Experience for Your Flat-panel TV



### Get More Power and Exceptional Sound Quality with Décor Series

The Paradigm Décor Series is a bespoke speaker solution designed to deliver exceptional performance and a perfect fit for any TV. Décor Series features rigid, resonance-free enclosures made of anodized extruded aluminum, ensuring durability and longevity. The all-new optimized extrusion profile adds over 40% more volume than the previous generation, giving users even more power and exceptional sound quality that takes their listening experience to new heights.

#### Seamless & Stylish

Décor Series is designed with ease of installation in mind. The package includes a wall bracket that offers the utmost mounting flexibility, allowing users to easily attach the soundbar to any wall or surface. Additionally, an included television bracket provides a sleek and clean television-centric installation that blends seamlessly with your TV.

Integrated Wire Management Channel eliminates wire pinching and allows the speaker to sit nearly flush against the wall.


#### Customize Your Soundbar to Fit Your Exact Needs

With over six different models and up to 16 different driver configurations to choose from, users can customize their soundbar to fit their exact needs. They have the flexibility to choose from multiple driver formats and up to three audio channels within a single enclosure. Users can create a sleek and stylish audio system that's perfectly suited to their television's length and/or height.



## For the Livingroom

Elevate your living room to center stage with our ultimate bespoke sound solution — our custom-built speakers blend seamlessly to create a space that steals the show.



## For the Patio

Rain or shine, our weather-resistant design delivers a consistently enjoyable listening experience.



## The Ultimate Personalized Audio Experience

Tailor-made speakers, precision-engineered to your specifications, delivering unparalleled Paradigm sound, for a truly personalized flat-panel TV setup — ***exclusively crafted in Canada.***

 **MADE IN CANADA**





## Seamless Setup and Flexibility

With its customizable design, easy installation, and unparalleled sound quality, the Décor Series v2 is a bespoke speaker solution that's built to last.

Users can create a sleek and stylish audio system that's perfectly suited to their television's length and/or height, and with the newly revamped acoustic platform, they can experience exceptional sound quality that takes their listening experience to new heights.



### The "Customizable" Soundbar

With over six different models and up to 16 different driver configurations to choose from, users can customize their soundbar to fit their exact needs.




### Easy Installation

The package includes a wall bracket that offers the utmost mounting flexibility, and an included television bracket provides a sleek and clean television-centric installation that blends seamlessly with your TV.



### Unparalleled Sound Quality

The newly revamped acoustic platform delivers greater clarity, better bass response, and improved power handling, making it one of the thinnest high-performance speakers available.




### Rigid and Resonance-free Enclosures

The anodized extruded aluminum enclosures ensure durability and longevity, while the all-new optimized extrusion profile adds over 40% more volume than the previous generation.



### Seamless Ordering Process

Customers can choose from standard in-stock models that fit common television sizes, or take the fully customized route and let Paradigm build a bespoke solution tailored to their specific needs, all through an easy-to-use Custom Configurator Web Tool.



### Customizable Look

Users can customize their soundbar with a hand-stretched, acoustically transparent cloth grille, or perforated aluminum, creating a seamless and stylish look that blends perfectly with their TV.



## Enjoy Outdoor Audio Without Compromise


Decor Series is built to last. With an IP65\* rating, the soundbar is durable and reliable, ensuring a listening experience that's enjoyable in any weather condition. Whether you're hosting a summer BBQ or enjoying a quiet evening under the stars, the Paradigm Décor Series v2 soundbar delivers exceptional audio quality, no matter where you are.




### Durability and Reliability

With an IP65\* rating, the soundbar is durable and reliable, ensuring a listening experience that's enjoyable in any weather condition.

\* Only applicable to perforated aluminum grille options.



Upgrade the home entertainment experience today with the Paradigm Décor Series and enjoy unparalleled sound quality that takes the listening experience to the next level.



## Seamless Setup and Flexibility

With Décor, you can take your home entertainment to the next level by customizing its appearance to suit your style. Choose between a hand-stretched, acoustically transparent cloth grille or an aircraft-grade perforated aluminum grille that not only look seamless and stylish but also enhance the audio experience by allowing the sound to flow through unimpeded. These materials are carefully selected to complement your TV and create a visually appealing setup that will elevate your viewing experience.

Don't settle for a standard soundbar — make it yours with our customizable options.



## Blends To Your Surroundings

Custom length speakers in horizontal and vertical configurations blend unobtrusively with your surroundings. Each Décor speaker is handcrafted to fit the exact dimensions of your flat panel TV.

Our custom configurator makes the choice as easy as 1, 2, 3.

Try it out now.

1

Select a model & driver configuration.

Looking for a Custom Contour? You may want to consider a custom-length solution instead.

Let's narrow things down to the perfect size!

Select the dimensions of your television.

2

3

Select a grille style.

Looking for an outdoor solution? If so, consider our Aircraft-grade Aluminum Perforated Metal grille.

Your order includes the following:  
Wall bracket  
Television bracket

We wanted to make Décor so easy that we've included two mounting solutions to meet your needs, no matter what they might be.

4

5

That's it! We're done. Now, wasn't that easy?



# Revamped Acoustic Platform for Unparalleled Sound Quality

Experience unparalleled sound quality with the newly revamped acoustic platform of Paradigm's Décor Series v2 soundbars. The new platform delivers greater clarity, better bass response, and improved power handling, thanks to **Paradigm's X-PAL™ Dome Tweeters with Perforated Phase-Aligning (PPA™) Tweeter Lens and Aluminum Unibody Bass/Midrange Cones** that feel right at home in the newly designed extrusion profile.



## X-PAL™ Satin-Anodized Pure-Aluminum Dome Tweeters

X-PAL™ tweeters feature satin-anodized pure-aluminum domes for precise sound reproduction, clarity, and extended high frequencies, delivering an immersive audio experience.



## Anodized Aluminum Unibody Bass/Midrange Cones

Anodized Unibody Bass/Midrange Cones, fortified with Nitrile-Butadiene Rubber Surrounds, paired with a unique motor structure, maintain high performance in tight spaces.



## Perforated Phase-Aligning (PPA™) Tweeter Lens

X-PAL™ tweeters feature a PPA™ Tweeter Lens, safeguarding the aluminum dome and enhancing high frequencies for increased detail and output.




## One of the Slimmest High Performance Speakers Available

The Paradigm Décor Custom Collection offers the freedom to pair any TV size seamlessly with high-performance Paradigm home theater audio, eliminating aesthetic and sound mismatch concerns.



## Integrated Cable Management Channel

Speaker wire connections are set at an angle and are recessed into the speaker enclosure. An integrated wire management channel prevents wire pinching and allows for a near-flush wall installation.



## Paradigm's Proven Performance

"Paradigm's Proven Performance" signifies a track record of delivering top-notch audio quality and dependability for unparalleled sound experiences.



## Standard Length Soundbars

## TECHNICAL SPECIFICATIONS

|   | 1SC 65 INCH<br>CLOTH GRILL  | 1SC 75 INCH<br>CLOTH GRILL  | 1SC 85 INCH<br>CLOTH GRILL  | 1SC 65 INCH<br>METAL GRILL  | 1SC 75 INCH<br>METAL GRILL  | 1SC 85 INCH<br>METAL GRILL  |
|---|---|---|---|---|---|---|
| <b>DESIGN</b>                                   | 9-driver; acoustic suspension   | 9-driver; acoustic suspension   | 13-driver; acoustic suspension  | 9-driver; acoustic suspension; IP65 rating  | 9-driver; acoustic suspension; IP65 rating  | 13-driver; acoustic suspension; IP65 rating   |
| <b>CROSSOVER</b>                                | 2nd-order electro-acoustic at 3.3kHz  | 2nd-order electro-acoustic at 3.3kHz  | 2nd-order electro-acoustic at 3.3kHz  | 2nd-order electro-acoustic at 3.3kHz  | 2nd-order electro-acoustic at 3.3kHz  | 2nd-order electro-acoustic at 3.3kHz  |
| <b>APPLICATION</b>                              | Stereo + Center Soundbar  | Stereo + Center Soundbar  | Stereo + Center Soundbar  | Stereo + Center Soundbar  | Stereo + Center Soundbar  | Stereo + Center Soundbar  |
| <b>HIGH FREQUENCY DRIVER</b>                    | Three 1" (2.5cm) X-PAL™ domes, ferro-fluid damped / cooled, Perforated Phase-Aligning (PPA™) Tweeter Lens | Three 1" (2.5cm) X-PAL™ domes, ferro-fluid damped / cooled, Perforated Phase-Aligning (PPA™) Tweeter Lens | Three 1" (2.5cm) X-PAL™ domes, ferro-fluid damped / cooled, Perforated Phase-Aligning (PPA™) Tweeter Lens | Three 1" (2.5cm) X-PAL™ domes, ferro-fluid damped / cooled, Perforated Phase-Aligning (PPA™) Tweeter Lens | Three 1" (2.5cm) X-PAL™ domes, ferro-fluid damped / cooled, Perforated Phase-Aligning (PPA™) Tweeter Lens | Three 1" (2.5cm) X-PAL™ domes, ferro-fluid damped / cooled, Perforated Phase-Aligning (PPA™) Tweeter Lens |
| <b>MIDRANGE / BASS DRIVER</b>                   | Six 4.5" (11.4cm) anodized aluminum unibody cones, 1.5" high-temp voice coils                             | Six 4.5" (11.4cm) anodized aluminum unibody cones, 1.5" high-temp voice coils                             | Ten 4.5" (11.4cm) anodized aluminum unibody cones, 1.5" high-temp voice coils                             | Six 4.5" (11.4cm) anodized aluminum unibody cones, 1.5" high-temp voice coils                             | Six 4.5" (11.4cm) anodized aluminum unibody cones, 1.5" high-temp voice coils                             | Ten 4.5" (11.4cm) anodized aluminum unibody cones, 1.5" high-temp voice coils                             |
| <b>LOW FREQUENCY DRIVER</b>                     | --  | --  | --  | --  | --  | --  |
| <b>LOW FREQUENCY EXTENSION*</b>                 | 80Hz  | 80Hz  | 80Hz  | 80Hz  | 80Hz  | 80Hz  |
| <b>FREQUENCY RESPONSE (ON-AXIS)</b>             | ±3 dB from 140 Hz - 21 kHz  | ±3 dB from 140 Hz - 21 kHz  | ±3 dB from 140 Hz - 21 kHz  | ±3 dB from 140 Hz - 21 kHz  | ±3 dB from 140 Hz - 21 kHz  | ±3 dB from 140 Hz - 21 kHz  |
| <b>FREQUENCY RESPONSE (30 DEGREES OFF-AXIS)</b> | ±3 dB from 140 Hz - 17 kHz  | ±3 dB from 140 Hz - 17 kHz  | ±3 dB from 140 Hz - 17 kHz  | ±3 dB from 140 Hz - 17 kHz  | ±3 dB from 140 Hz - 17 kHz  | ±3 dB from 140 Hz - 17 kHz  |
| <b>SENSITIVITY — ROOM</b>                       | 92 dB   | 92 dB   | 94 dB   | 92 dB   | 92 dB   | 94 dB   |
| <b>SENSITIVITY — ANECHOIC</b>                   | 89 dB   | 89 dB   | 91 dB   | 89 dB   | 89 dB   | 91 dB   |
| <b>MAXIMUM INPUT POWER†</b>                     | 150 Watts   | 150 Watts   | 150 Watts   | 150 Watts   | 150 Watts   | 150 Watts   |
| <b>IMPEDANCE</b>                                | Each Channel Compatible with 8 Ohms   | Each Channel Compatible with 8 Ohms   | Each Channel Compatible with 8 Ohms   | Each Channel Compatible with 8 Ohms   | Each Channel Compatible with 8 Ohms   | Each Channel Compatible with 8 Ohms   |
| <b>SUITABLE AMP POWER RANGE</b>                 | 15-130 Watts  | 15-130 Watts  | 15-130 Watts  | 15-130 Watts  | 15-130 Watts  | 15-130 Watts  |
| <b>CABINET</b>                                  | Extruded Aluminum   | Extruded Aluminum   | Extruded Aluminum   | Extruded Aluminum   | Extruded Aluminum   | Extruded Aluminum   |
| <b>BAFFLE</b>                                   | Aluminum  | Aluminum  | Aluminum  | Aluminum  | Aluminum  | Aluminum  |
| <b>GRILLE</b>                                   | Machined MDF; cloth wrapped; magnetic   | Machined MDF; cloth wrapped; magnetic   | Machined MDF; cloth wrapped; magnetic   | Perf. Aluminum; non-removable   | Perf. Aluminum; non-removable   | Perf. Aluminum; non-removable   |
| <b>WEIGHT</b>                                   | 13 lbs (6 kg) each  | 16 lbs (7 kg) each  | 18 lbs (8 kg) each  | 12 lbs (5 kg) each  | 14 lbs (6 kg) each  | 17 lbs (8 kg) each  |
| <b>DIMENSIONS</b>                               | 2.6" x 5.2" x 56.7"   | 2.6" x 5.2" x 65.4"   | 2.6" x 5.2" x 74.1"   | 2.3" x 4.8" x 56.7"   | 2.3" x 4.8" x 65.4"   | 2.3" x 4.8" x 74.1"   |
| <b>WARRANTY</b>                                 | 5 Years   | 5 Years   | 5 Years   | 5 Years   | 5 Years   | 5 Years   |

All specifications are subject to change without notice. \* DIN 45 500. Indicates -3 dB in a typical listening room.

† With typical program source provided the amplifier clips no more than 10% of the time.